

SELENATE LA

Selenium 50 mg/ml, (as Barium Selenate 177.48 mg/ml)

INDICATIONS

For the treatment and prevention of selenium deficiency in cattle

BENEFITS

- · Gives 12 months' raised selenium levels
- · Gives cross placental protection to the calf
- · Low dose rate
- · Low toxicity
- Indicated for the treatment and prevention of selenium deficiencies



PACKAGING

LIST NO.	UNIT PACKAGE	CASE SIZE
1SEL002	50ml	24

See reverse side for full indications, administration and dosage.



Bimeda® Bryn Cefni Industrial Park, Llangefni, Anglesey, Wales, LL777XA UK +44 (0) 800 526769

TECHNICAL INFORMATION



SELENATE LA

PRESENTATION

Suspension for injection.

A white sterile aqueous suspension

Active Substances:

Selenium 50 mg/ml.

(as Barium Selenate 177.48 mg/ml)

Excipients:

Chlorocresol 2 mg/ml

USES

For the treatment and prevention of selenium defiency in cattle and associated problems including

- · White muscle disease
- · Retained foetal membranes
- Metritis
- Reproductive inefficiencies
- · Increased mastisis incidence
- · Increased respiratory problems

DOSAGE AND ADMINISTRATION

- Shake the vial vigorously to re-suspend the solid prior to use.
- Inject into a clean site in the neck area by subcutaneous injection only, using aseptic technique.
- Actual dose will depend on the selenium status and clinical condition of the animal.
- As a guide it is suggested that a dose of 1mg Se/kg bodyweight be used corresponding to the following:

Cattle (adult): 6-10 ml Cattle (young): 3-8 ml

Calves: 1-2 ml

CONTRAINDICATIONS AND WARNINGS

- Overdosage with this product is unlikely as its characteristics are for slow release of selenium, in selenium deficient animals under the instructions of a veterinary practitioner
- Do not use simultaneously with any other preparation

WITHDRAWAL PERIODS

Meat and Offal: 31 days

Milk: Zero days

PHARMACEUTICAL INFORMATION AND PRECAUTIONS

- The product is recommended for the treatment of selenium deficiency in cattle.
- The product will provide a prolonged rise in the selenium status in animals, lasting up to twelve months.
- The treatment of animals in early to mid-pregnancy will provide a good selenium status in the newly born offspring.

List of Excipients

- Chlorocresol
- Light Liquid Paraffin
- · Stearoyl Macroglycerides
- Sodium Hydroxide (for pH adjustment)
- Hydrochloric Acid (for pH adjustment)
- · Water for Injections

SHELF LIFE

- Shelf-life of the veterinary medicinal product as packaged for sale: 3 years.
- Shelf-life after first opening the immediate packaging: 28 days.
- Do not store above 25°C.
- Any unused product or waste materials should be disposed of in accordance with national requirements

LEGAL CATEGORY

POM-V

MARKETING AUTHORISATION NUMBER

VM 12597/4054